



VGYZ.EX6182 - Nozzles, Spray Type, Fixed

Nozzles, Spray Type, Fixed

See General Information for Nozzles, Spray Type, Fixed

LICHFIELD FIRE & SAFETY EQUIPMENT CO LTD
 UNIT 8, CALIBRE INDUSTRIAL PARK
 LACHES CLOSE FOUR ASHES
 WOLVERHAMPTON, WV10 7DZ UNITED KINGDOM

EX6182

NONAUTOMATIC TYPE

Model	Discharge Angle Deg	Discharge Coefficient K	
		K(GPM/(psig) ^{1/2})	K-m(LPM/(kg/cm ²) ^{1/2})
A	65, 80, 90, 100, 110, 120, 140	1.26	18
A	65, 80, 90, 100, 110, 120, 140	1.5	22
A	65, 80, 90, 100, 110, 120, 140	2.1	30
A	65, 80, 90, 100, 110, 120, 140	2.5	35
A	65, 80, 90, 100, 110, 120, 140	2.9	41
A	65, 80, 90, 100, 110, 120, 140	3.6	51
A	65, 80, 90, 100, 110, 120, 140	4.5	64
A	65, 80, 90, 100, 110, 120, 140	5.5	79
A	65, 80, 90, 100, 110, 120, 140	6.4	91
A	65, 80, 90, 100, 110, 120, 140	7.2	102
AS	65, 80, 90, 100, 110, 120, 140	1.26	18
AS	65, 80, 90, 100, 110, 120, 140	1.5	22
AS	65, 80, 90, 100, 110, 120, 140	2.1	30
AS	65, 80, 90, 100, 110, 120, 140	2.5	35
AS	65, 80, 90, 100, 110, 120, 140	2.9	41
BS	65, 80, 90, 100, 110, 120, 140	1.26	18
BS	65, 80, 90, 100, 110, 120, 140	1.5	22
BS	65, 80, 90, 100, 110, 120, 140	2.1	30
BS	65, 80, 90, 100, 110, 120, 140	2.5	35

BS	65, 80, 90, 100, 110, 120, 140	2.9	41
HV-AS	75	1.54	22
HV-AS	80	1.26	18
HV-AS	100	1.82	26
HV-AS	115	2.94	42
HV-AS	120	1.61	23
HV-AS	90	2.24	32
HV-BS	75	1.54	22
HV-BS	80	1.26	18
HV-BS	90	2.24	32
HV-BS	100	1.82	26
HV-BS	115	2.94	42
HV-BS	120	1.61	23

Last Updated on 2018-11-12

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2020 UL LLC"